

Interhasa official

TEL:400-860-8688



	ND WASH/DR E SET FAUCE			HA	IR DRYER
01	HSD-A3871			61	HSD-D90288
03	HSD-A3873				HSD-D90289
05	HSD-K1201			63	HSD-90266
	HSD-K1202				HSD-90266-2
	HSD-K1203				HSD-90266-3
	HSD-K1205			65	HSD-D90267
					HSD-D90281
					HSD-D90286
HIG	H SPEED				HSD-D9029
HA	ND DRYER			66	HSD-D90290
					HSD-D90291
09	HSD-A3895	47	HSD-A90005		HSD-D9029-1
11 13	HSD-A3899	49	HSD-A3880		HSD-D90297
15	HSD-A3898T	51	HSD-A90001		1100 000207
17	HSD-A1688	52	HSD-A3885		
19	HSD-A2688	53	HSD-A3900	A11	TOMATIC HAND
21	HSD-A3886	56	HSD-A9025		TOMATIC HAND INFECTOR
23	HSD-A905		HSD-A3800		
	HSD-A1001		HSD-A3209	0.7	HOD DOOO
	HSD-A1002		HSD-A3201	67	HSD-B6000
0.4	HSD-A904	57	HSD-A3100	68	HSD-B8000
24 25	HSD-A1003 HSD-A1020		HSD-A3100		HSD-B7000 HSD-B801
23 27	HSD-A3867		HSD-A3300 HSD-A1005		HSD-B3000
_ /	HSD-A3866	58	HSD-A32091		HSD-B5000
29	HSD-A3881	50	HSD-A90192		HSD-B2000
31	HSD-A3920		HSD-A9019	69	HSD-F9302
33	HSD-A3862		HSD-A90001		
35	HSD-A3891	59	HSD-A3101		
37	HSD-A3892		HSD-A90002		
	HSD-A3893		HSD-A9088		
39	HSD-A3897				
41	HSD-A3889				
	HSD-A3888				
43	HSD-A3868				
45	HSD-A3861				

SOAP DISPENSER

73	HSD-F9305	87	HSD-F7016
75	HSD-F9316	89	HSD-F7020
77	HSD-F9309	90	HSD-F7022
79	HSD-F9031	91	HSD-F7019
81	HSD-F9311	93	HSD-F7017
83	HSD-F9303	94	HSD-F9307
86	HSD-F8008		HSD-F9306
	HSD-F8008		HSD-F7007
	HSD-F8009		
	HSD-F8009		
	HSD-F8008		
	HSD-F80013		
	HSD-F80099		
	HSD-F8011		

INSPIRE SERIES


97 HSD-F9088 HSD-F9088-2 HSD-F7002 101 HSD-E51019 103 HSD-E6008

ENDEAVOR SERIES

107 HSD-F9317 HSD-F7003 111 HSD-E51027 HSD-E51020 HSD-E51022 113 HSD-E6018 HSD-E6019 115 HSD-E6069

119	HSD-E51013
	HSD-E51015
121	HSD-E51016
123	HSD-E1008
125	HSD-E51021
127	HSD-E51023
129	HSD-E6015
131	HSD-E6012
133	HSD-E6011
135	HSD-E6005
136	HSD-E6006
	HSD-E6007
137	HSD-E6002
139	HSD-E012
	HSD-E51018
	HSD-E011

TISSUE BOX







who we are


Zhejiang Interhasa Intelligent Technology Co.Ltd.
is a self-designed professional manufacturer
of Commercial bathroom products such as hand dryer,
senser faucet,soap dispenser,
was established in 2007 tissue dispenser,
wall-mounted hair dryer,baby change station etc.
It is one of the most powerful commercial bathroom
products manufacturer in China.

interhasa is a professional self-designedmanufacturer of intelligent products, including hand dryers, soap dispenser, bathroom accessories for more than 20 years.

Our products are exproted to worldwide.

Every interhasa innovation has a singlemotivation"

Providing a smart & comfortable life with art.



Interhasa has been focusing on commercial sanitary ware for 20 years

50+

Sells to more than 50 countries and regions around the world.

Our products are distributed all over the world and we have become a high-quality supplier to the world's top 500 companies such as Electrolux and Metro.



Our sales continue to rise at an annual growth rate of more than 30%. We have a complete sales system and promotion channels.

200+

More than 2 million products installed all over the world every year.

Create the world's leading brand of commercial sanitary ware and become a century-old enterprise that makes employees happy, impresses customers, and respects society.

ENVIRONMENT



CULTURE



WELFARE



SALE







HAND WASH/DRY ONE SET FAUCET

Quick dry cleaning two-in-one, making washing more convenient. Noise reduction motor, simple and extraordinary, 13-level high-efficiency filter, fine copper faucet. Selected materials, fast drying, anti-corrosion and rust prevention, environmental protection and energy saving. Zero-contact induction switch high-speed brushless motor, sensor-controlled water flow and silent water production. The faucet adopts Newper aerator, and the dimple-shaped design makes the water in the form of foam, the falling water is softened, and the touch is delicate. The honeycombshaped water is soft and delicate without splashing.

The golden angle combines science and aesthetics. The scientific water outlet angle "extends" the water outlet distance, and it is more intimate to reach out. The water column of the ordinary faucet with the golden angle is outward, the angle is more reasonable and the water column is vertical, and the distance of the water outlet is short.



HSD-A3871





Voltage	AC220V 50Hz	
Rate Power	1500W	
Electric current	5–9A	
Electric shock protect	Class II	
Protection Level	IPX1	
Air Speed	100 M/S	
Air Flow	150m3/h	
Motor speed	42000r/min	
Timeout protection	30S	
Cover Material	Copper	
Net Weight	5.55 KG	
Gross Weight	6.66 KG	
Quantity/Carton	2 PCS	
Product size	28.4*18.3*15.4 CM	
Packaging size	37*33*27 CM	

HSD-A3873	
Voltage	AC220V 50Hz
Rate Power	1150W
Electric current	5–9A
Electric shock protect	Class II
Water aplash protect	IPX1
Air Speed	100 M/S
Air Flow	150m3/h


Motor speed	42000r/min	
Timeout protection	308	
Cover Material	Copper	
Net Weight	5.55 KG	
Gross Weight	6.66 KG	
Quantity/Carton	2 PCS	
Product size	28.4*18.3*15.4 CM	
Packaging size	38*68*28 CM	

HAND WASH
DRY ONE SET FAUCET




Water aplash protect














HSD-A3899







Air outlet method	Automatic infrared sensing	
Sensing distance	80mm-150mm	
Ambient temperature	0-50°	
Hand drying time	15–30S	
Shell material	ABS	
Rated vo1tage	220V	
Rated frequency	50-60Hz	
Rated power	1100W	
Waterproof grade	IPX4	
Wind speed	>60M/S	
Wind temperature	45℃	
Noise	70-80BB	
Motor	3C motor	
Motor power	550W	
Heating Elements	PTC	
Product size	35.7*36.8*15.05 CM	
Packaging size	36*37.1*15.35 CM	

With the slope, it has a doublesided air outlet covered in the horizontal and longitudinal depth to realize 3D wind out, so that the user's every hand is wrapped in the wind in all directions and completes the hand cleaning at high speed.

Built-in high-quality HEPA filter, which provides purer airflow and prevents dust from entering the machine.

This can ensure the long life of the airdrying mobile phone, effectively filter out odors and impurities in the air, and make the wind safer and more comfortable.

With excellent electronic sensors, users can use this dry mobile phone without touching anything.





The A3898T hand dryer stands out among innovative design. It is different from the and cleverly designs the whole into a perfect combination of three cylindrical shapes. a fashionable and novel appearance, but also makes it unique among many similar products.

high quality and stability of the product, which can effectively resist wear and corrosion in daily use; while the plastic part has been carefully selected and processed, which not only has excellent texture, but also highlights its differentiation in material selection.



and adopts a hidden design method. When you turn on the hand dryer, the soft light lights up quietly, which not only adds warmth and comfort to the use process, but also visually creates a simple and beautiful effect.

This hidden lighting design not only avoids the glaring that may be brought about by direct light,

but also makes the appearance of the whole product more concise, smooth and integrated.




HSD-A3898T







Voltage	AC220V 50Hz	
Rate Power	920W	
Electric current	5–9A	
Electric shock protect	Class II	
Water aplash protect	IPX4	
Air Speed	80 M/S	
Air Flow	150m3/h	
Motor speed	32000r/min	
Cover Material	Stainless steel	
Net Weight	4.53 KG	
Gross Weight	7.63 KG	
Quantity/Carton	2 PCS	
Product size	46.8*47.1*12.5 CM	
Packaging size	61*51*13 CM	
















Voltage	AC220V 50Hz	
Rate Power	1800W	
Electric current	5-9A	
Electric shock protect	Class II	
Water aplash protect	IPX1	
Air Speed	90 M/S	
Air Flow	150m3/h	
Motor speed	32000r/min	
Cover Material	ABS	
Net Weight	8.18 KG	
Gross Weight	10.27 KG	
Quantity/Carton	2 PCS	
Product size	29*21*65 CM	
Packaging size	71*36*28 CM	







Voltage	AC220V 50Hz
Rate Power	1800W
Electric current	5–9A
Electric shock protect	Class II
Water aplash protect	IPX4
Air Speed	90 M/S
Air Flow	150m3/h
Motor speed	32000r/min
Cover Material	ABS
Net Weight	6.8 KG
Gross Weight	8.45 KG
Quantity/Carton	2 PCS
Product size	30*20*61 CM
Packaging size	67*36*28 CM



The thickness of the whole machine is only 10cm, which greatly breaks through the limitations of the industry on the thickness of the hand dryer, which not only brings a sense of cleanliness to dry hands, but also makes room for the bathroom. The appearance is very minimalist and can be adapted to a variety of scenes. It is designed to be seamlessly hidden behind the cabinet door of the bathroom and can be placed with bathroom items.









HSD-A3886

The air nozzle with adjustable angle can be rotated, and the built—in high—quality HEPA filter can be adapted to users of different heights and different special scenarios. It provides a purer airflow and prevents dust from entering the machine.

This can ensure the long life of the air–drying mobile phone, effectively filter out odors and impurities in the air, and make the wind safer and more comfortable.







Constant temperature, no hot feeling for a long time.

Corrugated heating wire to prevent the heat from being too concentrated.

The temperature is just right, and it doesn't get hot after blowing for a long time.









ue Gr

Voltage	AC220V 50Hz
Rate Power	1200W
Water aplash protect	IPX4
Air Speed	90 M/S
Cover Material	ABS
Motor speed	2400r/min
Net Weight	1.3 KG
Gross Weight	1.5 KG
Quantity/Carton	8 PCS
Product size	24*23*24 CM
Packaging size	28*27*26.5 CM









HSD-A904

HSD-A1002

The strong wind speed of 15m/s,15 seconds to dry hands

interhasa "jet" hand dryer with double dry air jet technology, equipped with high speed brush DC motor, The wind speed reached 15 meters, with warm wind function, can handle the moisture in the dry within 15 seconds, No need to rub hand or hand in hand, just put into the hands slowly back.

Introduction to new design, Beautiful, Generous

Jet type of dry cell phone use a new design, fashion and beautiful to reveal the simple, Noble and elegant in the creative, interhasa hand dryer meet the specific needs of the health and is a new generation of dry hand in the classic!



interhasa"jet" hand dryer features a new design, to prevent the water

er drop d	lirty ground,ensure health.	White

	interhasor	
Ш		l
		J




HSD-A1003		Motor speed	2400r/min
Voltage	AC110/220V 50/60Hz	Net Weight	
Rate Power	1800W	Gross Weight	
Water aplash protect	IPX1	Quantity/Carton	2 PCS
Blowing rate	15 M/S	Product size	24*23*24 CM
Material	ABS	Packaging size	28*27*25.5 CM





HSD-A1020		Motor speed	18000r/min
Voltage	AC110/220V 50/60Hz	Net Weight	
Rate Power	1250W	Gross Weight	
Protection Level	IPX1	Quantity/Carton	2 PCS
Air Speed	30 M/S	Product size	23.3*18.2*28.2 CM
Cover Material	ABS	Packaging size	32*27*22 CM







New features, powerful functions and new experience, small performance steel cannon, less odor, energy saving and low consumption, 10 seconds quick drying, better air volume, instantaneous induction of air, rapid drying, 9 pieces of aluminum fan blade thin air outlet, The wind power is increased by 10%, and the water is quickly stripped. It has strong combat power and is not afraid of high-frequency use. The 1250 W powerful motor is not afraid of it all year round. It is small in size and has strong wind power. It is close to the size of a classic hand dryer, but it has the wind power of a high-speed hand dryer.


Air duct optimization + motor shock absorption, the sound is as low as 65 DB-75 DB, HEPA filter, no peculiar smell before entering the store, intercepting six major dirt, cleaner than expected, PM0.3 warm Hot to the touch, I understand your ideal temperature, as long as the guests need it, I will be surrounded by warmth, 304 stainless, long-term use, as first seen, quality upgrade, not afraid of time challenges, low-carbon new model, only 1 kWh of electricity a day, Calculated based on 200 hand drying times a day, only 1 kWh of electricity is needed, and public places are safer. There is a fixed plate on the back to prevent theft and fall, open the outer cover, and move the outer buckle to the machine, and then the top can be removed.



HSD-A3867



HSD-A3866 Plastic model











The A3882 hand dryer adopts an advanced touch hot and cold switching design. This design is not only easy to operate, but also allows you to freely switch between cold air and hot air modes according to your needs with a light touch to meet the needs of dry hands in different seasons and personal preferences; and the touch operation panel also has sensitive response speed and precise control performance, bringing you a more convenient and efficient user experience.










Voltage	AC110/220V 50/60Hz
Rate Power	1100W
Water aplash protect	IPX1
Air Speed	90 M/S
Cover Material	ABS
Motor speed	28000r/min
Net Weight	
Gross Weight	
Quantity/Carton	2 PCS
Product size	28.2*18.2*23.3 CM
Packaging size	33.8*28.5*23.6 CM



The A3920 intelligent hand dryer brings you a brand new hand drying experience with its excellent performance and innovative design.

This hand dryer is equipped with a large–range display panel that can clearly show the indoor temperature, allowing you to know the temperature condition of the surrounding environment at any time. The rear part of it adopts a visual soap liquid module, making the refilling process more timely and convenient. You can see the usage of soap liquid at a glance to ensure timely replenishment when needed and provide reliable guarantee for your cleaning needs.

After the hand dryer is started, the lighting effect is dazzling. It can display different functions such as air outlet, water outlet, and soap liquid respectively, which not only enhances the integrity of the product but also adds beauty. This unique lighting design makes your use process full of technology and fashion sense.



HSD-A3920





The dryer can meet the special needs of user to health, no touch control, feeling dust should be sensitive, high efficiency particulate air filter to empty. with an infrared safety thermal power motor, with good quality in the market, each other.

high quality The material has good corrosion resistance, corrosion resistance, electrical insulation, inconvenient degumming, easy to install, fast, etc.



HSD-A3862 SS Steel Shell



HSD-A3890 Plastic Shell







Voltage	AC220V 50Hz
Rate Power	1100W
Water aplash protect	IPX1
Air Speed	95 M/S
Cover Material	Stainless steel/ABS
Motor speed	28000r/min
Net Weight	4.5 KG
Gross Weight	5.13 KG
Quantity/Carton	4 PCS
Product size	33.5*28.5*18.5 CM
Packaging size	37*33*23.5 CM





HSD-A3891







Compared with traditional hand dryers, the lengthened air outlet can touch the hand in a larger area, ensuring that every corner of the hand can be quickly covered by the warm wind, which greatly shortens the time required to dry the hand.

Voltage	AC220V 50Hz
Rate Power	1100W
Electric current	5–9A
Electric shock protect	Class II
Water aplash protect	IPX4
Air Speed	80 M/S
Air Flow	150m3/h
Motor speed	32000r/min
Cover Material	Stainless steel
Net Weight	4.67 KG
Gross Weight	5.35 KG
Quantity/Carton	2 PCS
Product size	30.2*33.8*17.7 CM
Packaging size	30.5*34.1*18 CM

In-depth study of the principles of ergonomics, and fully consider the natural form and movement habits of people's hands when drying hands.

The arc design can perfectly fit the state of dry hands, so that every wisp of wind can accurately blow to the hands, bringing users a more comfortable and efficient dry hand experience.













White Silver Black





HSD-A3892



HSD-A3893









The wind outlet bends inward Concentrated airflow

Double overlapping wind Peel off the water

Shaped like a shield, it is no longer "face-blind" to reject the stereotyped shape of the hand dryer on the market. 100 people dry hands, only 0.6 kWh of electricity, only a few cents per day, and the cost is lower than the toilet paper. Mirror stainless steel, the surface is like a mirror, 304 mirror stainless steel, high-definition flat like a mirror, the process is complicated and the cost is higher, and it can be wiped without leaving dust.



HSD-A3897







White Silver Black

Voltage	AC220V 50Hz
Rate Power	1100W
Water aplash protect	IPX1
Air Speed	90 M/S
Cover Material	304 Stainless Steel / with HEPA filter
Motor speed	28000r/min
Net Weight	4.5 KG
Gross Weight	5.13 KG
Quantity/Carton	4 PCS
Product size	33.2*28.5*19 CM
Packaging size	37*33*23.5 CM

INTERHASA INTELLIGENT TECHNOLOGY



HIGH SPEED HAND DRYER SERIES





HSD-A3889



HSD-A3888







The strong wind speed of 80 m/s, 10 seconds to dry hands. the hand dryer adopts double air injection technology, equipped with high speed brushless dc motor, speed up to 95 meters per second, with functions of warm wind, can be in dealing with dry hands of water for 10 seconds, without hands rub each other,simply remove hand in slow.









White

Silver Bl

HSD-A3868		Motor speed	25000r/min
Voltage	AC110/220V 50/60Hz	Net Weight	4.5 KG
Rate Power	1250W	Gross Weight	5.13 KG
Protection Level	IPX1	Quantity/Carton	2 PCS
Air Speed	95 M/S	Product size	24.5*15.5*25 CM
Cover Material	ABS	Packaging size	29*29*21 CM












High-quality materials have good corrosion resistance, electrical insulation, inconvenient degumming, easy installation, and light resistance.









INTERHASA INTELLIGENT TECHNOLOGY



HSD-A90005







Voltage	AC220V 50Hz
Rate Power	1800W
Water aplash protect	IPX1
Air Speed	95 M/S
Cover Material	Stainless steel
Net Weight	4.5 KG
Gross Weight	5.13 KG
Quantity/Carton	2 PCS
Product size	29*17*32 CM
Packaging size	37*33*23.5 CM



HIGH SPEED HAND DRYER SERIES







nite S

S	ilver	Bl

Voltage	AC110/220V 50/60Hz
Rate Power	1200W
Water aplash protect	IPX1
Air Speed	60 M/S
Cover Material	ABS
Net Weight	4.5 KG
Gross Weight	5.13 KG
Quantity/Carton	2 PCS
Product size	21.5*27.5*11.8 CM
Packaging size	33*28.5*18 CM



HSD-A3880



Elegant and simple appearance, showing a different fashion atmosphere. more comfortable experience, unimaginable use experience and more security, selected abs material, light, tough, wear–resistant and durable. hot and cold switch, adjust the hot and cold air according to the weather.

ultra—thin model with a thickness of only about 115mm, suitable for multi—functional cabinets. compatible with all kinds of places, suitable for all kinds of office buildings, hotels, schools, airports and other places, all kinds of comfortable experience.





Triple basin hand dryer. The product integrates the functions of hand drying, liquid discharge and water discharge, making it easier for users to clean their hands. We use a new structure, so that the water can be dispersed to most of the corners of the basin like a waterfall, so that the water can touch the hand area in a larger area, making the hands cleaner.

We adopt a more technological design and a more human—machine processing method for the foam.

HSD-A90001		Motor speed	28000r/min
Voltage	AC220V 50Hz	Net Weight	4.9 KG
Rate Power	1800W	Gross Weight	5.5 KG
Protection Level	IPX1	Quantity/Carton	4 PCS
Air Speed	95 M/S	Product size	32*29*17 CM
Cover Material	Stainless steel	Packaging size	36.5*21.5*36.5 CM

The foam head adopts the telescopic mode.

When the user uses it, the soap tip is stretched out and sprayed on the user's hand, so that the user and the product are linked. In the hand drying area, we use the four—way air outlet method, so that users can dry their hands as long as they stretch out their hands, without moving their hands, so as to achieve the purpose of all—round hand drying.

INTERHASA INTELLIGENT TECHNOLOGY

It integrates the functions of hand drying, water and soap, providing users with a one-stop solution from hand washing to drying.

This hand dryer innovatively combines the hand dryer directly with ceramics.

This unique design concept greatly improves the integrity and aesthetics of the product.

The delicate texture of ceramic material complements the modern sense of technology of the hand dryer, making it not only a practical household item,

but also an ornament that can add an artistic

atmosphere to the space.



www.interhasa.com





HSD-A3900



A hand dryer water catcher,

in order to let the water flow into the water filter hole area during use, water in the water plate is almost full.

The overall shape of the water tray adopts a simple semi-circular design. The simple shape is suitable for most of the existing hand dryers,





HSD-A9025

Voltage 110-220V(50Hz-60Hz) Rated power 1650W Dry hands time 7-9s Air speed >90m/s Water splash proof lpx4

100 units/box

Product size 300mmx220mmx680mm

White Silver Black





Voltage 110-220V(50Hz-60Hz) 1250W Rated power Dry hands time 8-12s Air speed >80m/s Water splash proof

Product size 250mmx165mmx470mm Quantity packing 100 units/box









Voltage 110-220V(50Hz-60Hz) Rated power 1250W Dry hands time 8-12s Air speed >80m/s Water splash proof lpx4

Product size 248mmx172mmx520mm Quantity packing 100 units/box



White Silver Black

HSD-A3201



110-220V(50Hz-60Hz)

Rated power 1250W Dry hands time 8-12s Air speed >80m/s Water splash proof lpx4

Product size 248mmx165mmx470mm Quantity packing 100 units/box



Voltage

White Silver Black







Voltage Rated power Dry hands time Air speed Water splash proof Product size

Quantity packing White Silver Black

HSD-A3100 Voltage

Rated power

Air speed

Dry hands time

Product size

Quantity packing

White Silver Black

Water splash proof

110-220V(50Hz-60Hz) 1250W

8-12s >80m/s lpx4

248mmx165mmx470mm

110-220V(50Hz-60Hz)

240mmx165mmx240mm

1250W

>80m/s

100 units/box

lpx4

8-12s

100 units/box





HSD-A32091

Voltage 110-220V(50Hz-60Hz) Rated power 1250W Dry hands time 8-12s Air speed >80m/s lpx4 Water splash proof Product size Quantity packing

255mmx175mmx270mm 100 units/box

White Silver Black



HSD-A90192



Voltage Rated power Dry hands time Air speed Water splash proof Product size

Quantity packing

110-220V(50Hz-60Hz)

2300W 8-12s >80m/s lpx4

230mmx170mmx262mm 100 units/box



White Silver Black





Voltage Rated power Dry hands time Air speed Product size

110-220V(50Hz-60Hz) 1250W 8-12s >80m/s Water splash proof lpx4 240mmx170mmx250mm Quantity packing



White Silver Black



HSD-A1005



Voltage 110-220V(50Hz-60Hz) Rated power 800W Dry hands time 15s Air speed >15m/s Water splash proof lpx4 Product size Quantity packing











HSD-A9019

Voltage 110-220V(50Hz-60Hz) Rated power 2300W Dry hands time 8-12s Air speed >80m/s Water splash proof lpx4 Product size 230mmx170mmx262mm Quantity packing 100 units/box



White Silver Black

HSD-A90001



Voltage 110-220V(50Hz-60Hz) Rated power 1800W Dry hands time 5-7s

Air speed >95m/s Water splash proof lpx4 Product size

290mmx170mmx320mm Quantity packing 100 units/box







Voltage Rated power Dry hands time Air speed Water splash proof Product size

110-220V(50Hz-60Hz) 1250W

8-12s >80m/s

240mmx165mmx240mm

Quantity packing 100 units/box

HSD-A90002

White Silver Black



Voltage 110-220V(50Hz-60Hz) Rated power 1800W Dry hands time 5-7s Air speed >95m/s Water splash proof lpx4 Product size 290mmx170mmx320mm



100 units/box







INTERHASA


INTELLIGENT TECHNOLOGY

Voltage 110-220V(50Hz-60Hz) Rated power 1800W Dry hands time 15s Air speed >15m/s Water splash proof Product size 250mmx110mmx300mm

100 units/box

Quantity packing







Feature

- 1. Made of imported plastic material, it is not easy to be deformed by overheating.
- 2. Hot and cold air settings, any choice.
- 3. The handle is set with a micro switch button, lift the handle to work, and release the power button to stop working.
- 4. Quiet design, beautiful and exquisite, especially energy saving.
- 5. Dual power protection to prevent overheating.
- 6. Sturdy suspension safety support, sturdy and durable.

Luxurious and beautiful, fashionable,
high-quality, safe and reliable.
It can be used as desiccant after shampoo,
the wind is gentle, and it will not affect the quality of the hair.
It is the first holy grail of bathrooms, a must for star-rated hotels.
The centrifugal power system of the centrifugal
four-blade fan is large in size, which makes the wind field
more uniform and effectively reduces noise interference.
Select high-quality materials, which have corrosion resistance,
oil resistance, wear resistance, wear

resistance increase the service life of the product,

and are environmentally friendly.



HSD_D90288	HSD-D90289

Voltage	110-220V(50Hz-60Hz)
Rated power	1200W
Air speed	>11m/s
Water splash proof	lpx1
Temperature	65+−15°C
Quantity packing	100 units/box

www.interhasa.com











HAIR DRYER



HSD-90266



HSD-90266-2



HSD-90266-3

HSD-D90267

110-220V(50Hz-60Hz) Voltage

Rated power 1200W Air speed >11m/s Water splash proof lpx1

Product size W285mmxD220mmxH120mm

Quantity packing 100 units/box



Voltage

Rated power 1200W Air speed >11m/s Water splash proof lpx1

Product size W350mmxD255mmxH305mm

110-220V(50Hz-60Hz)

Quantity packing 100 units/box

.



HSD-D9029

Voltage 110-220V(50Hz-60Hz)

Rated power 1200W Air speed >11m/s Water splash proof

Product size W250mmxD120mmxH240mm

Quantity packing 100 units/box



HSD-D90290

Voltage 110-220V(50Hz-60Hz)

Rated power 1200W Air speed >11m/s Water splash proof lpx1

Product size W300mmxD120mmxH150mm

Quantity packing 100 units/box



















HSD-D90291

Voltage 110-220V(50Hz-60Hz)

Rated power 1200W Air speed >11m/s Water splash proof

Product size W285mmxD220mmxH120mm

Quantity packing 100 units/box











HSD-D9029-1

Voltage 110-220V(50Hz-60Hz)

Rated power 1200W Air speed >11m/s Water splash proof lpx1

Product size W250mmxD120mmxH240mm

Quantity packing 100 units/box











HSD-D90297

Voltage 110-220V(50Hz-60Hz)

Rated power 1200W Air speed >11m/s Water splash proof lpx1

Product size W240mmxD195mmxH205mm

Quantity packing 100 units/box











AUTOMATIC HAND DISINFECTOR

Hand sanitizer dispenser design instruction

HSD-B3000

Easy to enjoy sterilization, simple and extraordinary.

Hand sanitizers make hand sanitizer less cumbersome.

Create a healthy hand sanitizer for you.

Six core functions, shorten the disinfection time, intelligent induction, quantitative spray, fast hand cleaning, large capacity.

Easy to maintain ABS material, persistent pursuit of quality.

Smarter sensing technology, new smart chips, zero-touch disinfection experience, and convenience brought by technology.



HSD-B5000

HSD-B2000





HSD-F9302










SOAP DISPENSER SERIES







The lock switch is not afraid of being stolen in public places. The transparent window can know the amount of liquid at any time, and the power switch can be replenished in time. It can be turned off when not in use, effectively saving electricity.

Sensing type	infrared sensing
Liquid type	Liquid/Gel
Sensing distance	0-60mm
Installation method	punch-free/punch installation
Liquid output	0.8ML/time
Total capacity	1000ML
Ambient temperature	0–50℃
Shell material	ABS
Rated voltage	6V
Battery	4pcs No.5 batteries
Product life	≥100000 times
Product size	18.3*13*10cm
Product net weight	463.4g
Packaging size	19.4*13.6*10.6cm
Waterproof grade	lpx1
Certification standard	CE
Implementation standard	QBT 1560-2017 Bathroom accessories



HSD-F9316









SOAP DISPENSER SERIES

HSD-F9309

Interval sensing 0.25s Sensing type Infrared sensing Liquid type Foam hand soap Sensing distance 30–50mm Installation method Punch-free/punch installation Liquid output 0.9ML/time Total capacity 300ML Ambient temperature 5–40°C Shell material ABS/PC Power 3W Battery 4pcs C type batteries Product life ≥100000 times Product size 12.6*13.1*28.8cm Product net weight 838g Packaging size 13.6*13.7*28.8cm Waterproof grade Ipx1		
Liquid type Foam hand soap Sensing distance 30–50mm Installation method Punch-free/punch installation Liquid output 0.9ML/time Total capacity 300ML Ambient temperature 5–40°C Shell material ABS/PC Power 3W Battery 4pcs C type batteries Product life ≥100000 times Product size 12.6*13.1*28.8cm Product net weight 838g Packaging size 13.6*13.7*28.8cm	Interval sensing	0.25s
Sensing distance 30–50mm Installation method Punch-free/punch installation Liquid output 0.9ML/time Total capacity 300ML Ambient temperature 5–40°C Shell material ABS/PC Power 3W Battery 4pcs C type batteries Product life ≥100000 times Product size 12.6*13.1*28.8cm Product net weight 838g Packaging size 13.6*13.7*28.8cm	Sensing type	Infrared sensing
Installation method Liquid output O.9ML/time Total capacity Ambient temperature Shell material Battery Apcs C type batteries Product life Product size Product net weight Packaging size Punch—free/punch installation 0.9ML/time 5-40°C ABS/PC 3W Battery 4pcs C type batteries ≥100000 times Product size 12.6*13.1*28.8cm	Liquid type	Foam hand soap
Liquid output 0.9ML/time Total capacity 300ML Ambient temperature 5–40°C Shell material ABS/PC Power 3W Battery 4pcs C type batteries Product life ≥100000 times Product size 12.6*13.1*28.8cm Product net weight 838g Packaging size 13.6*13.7*28.8cm	Sensing distance	30-50mm
Total capacity 300ML Ambient temperature 5-40°C Shell material ABS/PC Power 3W Battery 4pcs C type batteries Product life ≥100000 times Product size 12.6*13.1*28.8cm Product net weight 838g Packaging size 13.6*13.7*28.8cm	Installation method	Punch-free/punch installation
Ambient temperature 5-40°C Shell material ABS/PC Power 3W Battery 4pcs C type batteries Product life ≥100000 times Product size 12.6*13.1*28.8cm Product net weight 838g Packaging size 13.6*13.7*28.8cm	Liquid output	0.9ML/time
Shell material ABS/PC Power 3W Battery 4pcs C type batteries Product life ≥100000 times Product size 12.6*13.1*28.8cm Product net weight 838g Packaging size 13.6*13.7*28.8cm	Total capacity	300ML
Power 3W Battery 4pcs C type batteries Product life ≥100000 times Product size 12.6*13.1*28.8cm Product net weight 838g Packaging size 13.6*13.7*28.8cm	Ambient temperature	5-40°C
Battery 4pcs C type batteries Product life ≥100000 times Product size 12.6*13.1*28.8cm Product net weight 838g Packaging size 13.6*13.7*28.8cm	Shell material	ABS/PC
Product life ≥100000 times Product size 12.6*13.1*28.8cm Product net weight 838g Packaging size 13.6*13.7*28.8cm	Power	3W
Product size 12.6*13.1*28.8cm Product net weight 838g Packaging size 13.6*13.7*28.8cm	Battery	4pcs C type batteries
Product net weight 838g Packaging size 13.6*13.7*28.8cm	Product life	≥100000 times
Packaging size 13.6*13.7*28.8cm	Product size	12.6*13.1*28.8cm
	Product net weight	838g
Waterproof grade lpx1	Packaging size	13.6*13.7*28.8cm
	Waterproof grade	lpx1
Certification standard CE	Certification standard	CE
Implementation standard QBT 1560-2017 Bathroom accessor	Implementation standard	QBT 1560–2017 Bathroom accessories



















HSD-F9031







Hand out of the bubble Don't wait to wash your hands















SOAP DISPENSER SERIES































INTERHASA INTELLIGENT TECHNOLOGY









HSD-F9088


HSD-F9088-2



hite Blac

Product	Manual Soap Dispenser
Liquid Volume	0.8~1.5ml per time
Capacity	800ml/1000ml
Material	ABS
Material-out Mode	Liquid / Gel
Product Size	11.7*11.9*23.2cm/14.5*9.5*24cm
Packaging size	12.3*12.2*23.5cm







121) [70	\cap
	<i>)</i> — Γ	/ ()	U/

Product	Manual Soap Dispenser
Liquid Volume	0.8~1.5ml per time
Capacity	800ml
Material	ABS
Material-out Mode	Liquid / Gel
Product Size	18.5*11.9*23.2cm
Packaging size	21*12.5*23.8cm











Cover material	ABS
Transparent cover material	ABS transparent
Base material	ABS
Product size	29.2*13.5*29.2cm
Product net weight	1kg
Product gross weight	1.1kg
Packaging size	29.7*14.1*30cm









Cover material	ABS
Transparent cover material	ABS transparent
Base material	ABS
Product size	27.6*9.3*21cm
Product net weight	0.80kg
Product gross weight	1kg
Packaging size	28.4*10.1*21.8cm





INTERHASA INTELLIGENT TECHNOLOGY



HSD-E6008



interhasa





HSD-F9317

Sensing type	Infrared sensing
Liquid type	Foam hand soap
Sensing distance	30–50mm
Installation method	Punch-free/punch installation
Liquid output	0.9ML/time
Total capacity	300ML
Ambient temperature	5-40°C
Shell material	ABS/PC
Power	3W
Battery	4pcs C type batteries
Product life	≥100000 times
Waterproof grade	lpx1
Certification standard	CE
Implementation standard	QBT 1560-2017 Bathroom accessories



The foam is fast in 0.25s, and the foam is dense and easy to rinse,like ice cream, which can deeply clean every inch of skin. Large capacity, no need to add liquid frequently, $1.5 \mathrm{ml}$ of bubbles are produced at a time, and the battery life is $6 \mathrm{\ months}$ without perforation. Rapid induction and free liquid change.

Sensing type	Manual soap dispenser
Liquid type	Foam hand soap
Installation method	Punch-free/punch installation
Total capacity	300ML
Ambient temperature	4–40℃
Shell material	ABS/PC
Power	3W
Battery	4pcs C type batteries
Product life	≥100000 times
Waterproof grade	lpx1
Certification standard	CE
Implementation standard	QBT 1560-2017 Bathroom accessories


















Select high–quality materials, with high waterproof and splash–proof design, even if water splashes on the product, the interior will not be wet. It is also safe to place it in the bathing area. The design increases the table button switch, and the anti–theft is no longer worried. The use of ABS raw materials is safe and hygienic, with good chemical properties, high temperature resistance, hard, not easy to break, not deformed, and can provide us with the best products.



HSD-E6018



HSD-E6019



White Silver Black Blue Cyan

Cover material	ABS
Transparent cover material	ABS transparent
Base material	ABS
Product size	30.5*30.3*9.7cm

INTERHASA INTELLIGENT TECHNOLOGY





HSD-E6069



Product aesthetic art of line feeling, Rich color, delicate rounded to avoid hand scratch, more safe to use.

Cover material	ABS
Transparent cover material	ABS transparent
Base material	ABS
Product size	42.3*31.3*6.07cm





TISSUE BOX SERIES



HSD-E51013



HSD-E51015






Select high–quality materials, with high waterproof and splash–proof design, even if water splashes on the product, the interior will not be wet.

It is also safe to place it in the bathing area.

The design increases the table button switch, and the anti-theft is no longer worried.

The use of ABS raw materials is safe and hygienic, with good chemical properties, high temperature resistance, hard, not easy to break, not deformed, and can provide us with the best products.





INTERHASA INTELLIGENT TECHNOLOGY







Cover material	ABS
Transparent cover material	ABS transparent
Base material	ABS
Product size	27*12.5*29cm
Product net weight	0.7kg
Product gross weight	0.9kg
Applicable tissue size	Z fold tissue; 150mm≤length/width≤240mm

HSD-E51021		
White	Blue	Orange

Cyan Black Silver







INTERHASA INTELLIGENT TECHNOLOGY













Cover material	ABS
Transparent cover material	ABS transparent
Base material	ABS
Product size	27.5*27.5*12.5cm
Packaging size	28.2*13.5*28.2cm

interhasar英特汉莎 Select high-quality materials, with high waterproof and splash-proof design, even if water splashes on the product, the interior will not be wet. It is also safe to place it in the bathing area. The design increases the table button switch, and the anti-theft is no longer worried. The use of ABS raw materials is safe and hygienic, with good chemical properties, high temperature resistance, hard, not easy to break, not deformed, and can provide us with the best products.

TISSUE BOX SERIES







White

Silver



HSD-E6015

Cover material	ABS
Transparent cover material	ABS transparent
Base material	ABS
Product size	27.8*10.2*21.5cm
Product net weight	0.47kg
Product gross weight	0.62kg
Packaging size	28.6*10.7*22.2cm





Product aesthetic art of line feeling,

Rich color, delicate rounded to avoid hand scratch, more safe to use.



HSD-E6012



Cover material	ABS
Transparent cover material	ABS transparent
Base material	ABS
Product size	27*9.5*20.5cm
Product net weight	0.58kg
Product gross weight	0.75kg
Packaging size	28*10*21.5mm



Select high-quality materials, with high waterproof and splash-proof design, even if water splashes on the product, the interior will not be wet. It is also safe to place it in the bathing area. The design increases the table button switch, and the anti-theft is no longer worried. The use of ABS raw materials is safe and hygienic, with good chemical properties, high temperature resistance, hard, not easy to break, not deformed, and can provide us with the best products.













HSD-E6005 HSD-E6005

HSD-E6005









HSD-E6006

HSD-E6006

HSD-E6006







HSD-E6007

HSD-E6007

HSD-E6007

interhasa



HSD-E6002



Cover material	ABS
Transparent cover material	ABS transparent
Base material	ABS
Product size	29.5*9.5*23cm
Product net weight	0.67kg
Product gross weight	0.875kg
Packaging size	30*10.5*23.8cm













HSD-E012

HSD-E012

HSD-E51018

HSD-E011





AEROSOL DISPENSER SERIES



HSD-M7008



HSD-M7009













Two-in-one faucet with liquid outlet and water outlet, soap liquid is discharged from the top and water outlet from the bottom.

The new form, the combination of upper and lower functions, makes the product different from all products on the market.

This product makes it easier for the designed user to operate without having to think about how to use it.

Make users more hygienic and more convenient in public places.



CONTROL BOX



HSD-C20110





Two-in-one faucet with liquid outlet and water outlet, soap liquid is discharged from the top and water outlet from the bottom.

The new form, the combination of upper and lower functions, makes the product different from all products on the market. This product makes it easier for the designed user to operate without having to think about how to use it.

Make users more hygienic and more convenient in public places.



HSD-C20109





Unique human body detection device, the faucet will automatically turn on when the user approaches, and automatically turn off when the user leaves.

Even if the user forgets to turn off the water, don't worry, the system will automatically turn off the water after the user leaves. When the water is out, the hand-washing foam will automatically Stop to spray out the foam, saving the foam liquid.

Hand sanitizer pumping liquid can be long-pressed/short-pressed, a long press can last up to 3 seconds, and can be operated directly according to different needs for different length of time.

Food-grade 304 stainless steel water pipe, fast heating type without inner tank structure, fresh running water is more hygienic, as soon as it's heated it will be used, no water accumulation, no scale formation



SENSOR FAUCET







HSD-C20106

HSD-C2091

HSD-C2095

HSD-C2092

HSD-C2096

INTERHASA INTELLIGENT TECHNOLOGY



INTERHASA



STAINLESS COMBINED CABINET SERIES





SAFETY RAILS SERIES









HSD-G9022

HSD-G9023

HSD-G9024





Date	Date